Sinn-Phone[®]



Product Catalog 2016

www.inn-phone.com 1-877-467-7864





Product Catalog 2016











- Available with 10, 5 or zero programmable guest service keys
- Easy access data port with automatic line • selection
- Microphone Mute Button
- Patented volume boost button
- Voice intensifier with "clearing aid" volume control
- Lite Touch keypad with **frequence** "no wear, easyclean" keys

- Lighted ring indicator with message waiting light
- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Dual-tone, deep pitch ringer
- Desk/wall mountable
- Universal headset jack
- 11' handset cord
- FCC/ETL/UL approved
- Free faceplate customization

Call one of our representatives today for a free evaluation sample



Inn-Phone® D5700 Series Single-line Speakerphone



D5705 Black Sinn-Phone" Strewsbury, PH (87) FAX (888) RONT DESK Dial 0 ROOM TO ROOM Data port jack LOCAL CALLS LONG DISTANCE CREDIT CARD/ COLLECT. TOLL FREE CALLS Dial 9 + Toll CHECK OUT TIME 11 AM Large customizable faceplate Thank You For Staying With Us ABC 2 DEF 3 MUTE Mute button HOLD Patented volume OPER 0 (# boost button SPEAKER ۲ Speaker button 11' Handset cord Flash button **SPECIFICATIONS** HANDSET CORD: 11' coiled COLOR: Cream or Black LINE CORD: 18' straight WEIGHT: 3.5 pounds RJ-11 CONNECTORS: PACKED: 10 per case 4″x 6″ FLASH TIMING: 600 MS FACEPLATE AREA: VOLUME BOOST: 27.6dB LAB TESTING: ETL

Call one of our representatives today for a free evaluation sample









- Available with 10, 5 or zero programmable guest • service keys
- Easy access data port with automatic line • selection
- Hold Button
- Patented volume boost button
- Voice intensifier with "clearing aid" volume control
- Lite Touch keypad with OXYCLOW "no wear, easy-• clean" keys

- Lighted ring indicator with message waiting light
- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Low Pitch, Dual Tone Ringer with 3 levels of control
- Desk/wall mountable
- Universal headset jack
- 11' handset cord
- FCC/ETL/UL approved
- Free faceplate customization

Call one of our representatives today for a free evaluation sample



Inn-Phone D5500 Series **Single-line Telephone**





SPECIFICATIONS

- COLOR: •
- WEIGHT:
- PACKED: •
- FACEPLATE AREA:
- LAB TESTING:
- HANDSET:

- Cream or Black
 - 3.5 pounds
 - 10 per case
 - 4″x 6″
 - ETL
 - Volume control wheel
- HANDSET CORD: 11' coiled LINE CORD:
 - 18' straight

RJ-11

600 MS

- CONNECTORS:
- FLASH TIMING:
- **VOLUME BOOST:** 27.6dB
- Call one of our representatives today for a free evaluation sample









D5000 shown

FEATURES

- Available with 10, 5 or zero programmable guest
 service keys
- Easy access data port with automatic line selection
- Hold button
- Mute button for privacy
- Patented volume boost button
- Voice intensifier with "clearing aid" volume control
- Lite Touch keypad with or wear, easyclean" keys

- Lighted ring indicator with message waiting light
- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Dual-tone, deep pitch ringer
- Desk/wall mountable
- Universal headset jack
 - 11' handset cord
 - FCC/ETL/UL approved
- Free faceplate customization

Call one of our representatives today for a free evaluation sample









SPECIFICATIONS

 COLOR: 	
----------------------------	--

- WEIGHT:
- PACKED:
- FACEPLATE AREA:
- LAB TESTING:
- Cream or Black
- 3.5 pounds
- 10 per case
- 4″x 6″
- ETL

HANDSET CORD: 11' coiled LINE CORD: 18' straight

RJ-11

600 MS

- CONNECTORS:
- FLASH TIMING:
- **VOLUME BOOST:** 27.6dB
- Call one of our representatives today for a free evaluation sample











- Model D520 single line telephone
- Patented volume boost button
- Easy access data port
- Voice intensifier with "clearing aid" volume control
- Lighted ring indicator with message waiting light
- Flash button
- Lite Touch keypad with DAY GLOW "no wear, easy-clean" keys

- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Dual-tone, deep pitch ringer
- Desk/wall mountable
- FCC/ETL/UL approved
- Free faceplate customization

Call one of our representatives today for a free evaluation sample



Inn-Phone D520 Series **Single Line Telephone**





Call one of our representatives today for a free evaluation sample



D6SP Series Speakerphone





- Patented volume boost button
- Easy access data port
- Universal headset jack
- Voice intensifier with "clearing aid" volume control
- Lighted ring indicator with message waiting light
- Lite Touch keypad with DAY GLOW "no wear, easyclean" keys
- Available with three programmable guest service keys (D6SP3)

- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Dual-tone, deep pitch ringer
- Desk/wall mountable
- FCC/ETL/UL approved
- Free faceplate customization
- Flash button
- Speakerphone

Call one of our representatives today for a free evaluation sample



Inn-Phone[®] D6SP Series **Speakerphone**





- FACEPLATE AREA:
- LAB TESTING:

3.6" x 2.5"

ETL

- CONNECTORS:
- VOLUME BOOST: 31dB
- Call one of our representatives today for a free evaluation sample









- Patented volume boost button
- Easy access data port
- Rotary handset volume control
- Voice intensifier with "clearing aid" volume control
- Lighted ring indicator with message waiting light
- Lite Touch keypad with DAY GLOW "no wear, easyclean" keys
- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Dual-tone, deep pitch ringer
- FCC/ETL/UL approved
- Free faceplate customization

Call one of our representatives today for a free evaluation sample







Call one of our representatives today for a free evaluation sample







- Patented volume boost button
- Easy access data port
- Voice intensifier with "clearing aid" volume control
- Lighted ring indicator with message waiting light
- Lite Touch keypad with DAY GLOW "no wear, easyclean" keys
- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- Dual-tone, deep pitch ringer

- FCC/ETL/UL approved
- Free faceplate customization
- Lighted keypad

Call one of our representatives today for a free evaluation sample







Trimline telephone

SPECIFICATIONS

WEIGHT:

- COLOR(s): Cream, Black or Red
 - 2.5 pounds
- PACKED: 12 per case
- FACEPLATE AREA: 3.4" x 4.2"
- LAB TESTING: ETL

- HANDSET:
- HANDSET CORD:
- LINE CORD:
- CONNECTORS:
- VOLUME BOOST:
- Volume control wheel
- 9' coiled
- 20' straight
- RJ-11
- 31dB

Call one of our representatives today for a free evaluation sample









- SIP 2.0/IAX Compatible
- Available with 10, 5 or zero programmable guest service keys
- Microphone Mute Button
- Voice intensifier with "clearing aid" volume control
- Lite Touch keypad with "no wear, easy-clean" keys
- Lighted ring indicator **Grace** with message waiting light

- 10/100Mb Swithced Ethernet Port
- High luster, eurostyle, rugged ABS cabinet
- Extra heavy, non-slip base
- High-to-low ring volume control
- Dual-tone, deep pitch ringer
- Desk/wall mountable
- Universal headset jack
- 11' handset cord
- FCC/ETL/UL approved •
- Free faceplate customization

Call one of our representatives today for a free evaluation sample

31 Riordan Place Shrewsbury, NJ 07702 Inn-Phone, Inc. Tel: (877) 467-7864 FAX: (888) 963-3728 www.inn-phone.com



•

Inn-Phone D5900 Series **SIP Speakerphone**



D5905 Black SI Hordan Fraze Shreewbury, NJ 07702 PH (877 467-7864 FAX (888) 963-3728 Reservations Call Toll Free 1-877-467-7864 BONT DESK Dial 0 NOOM TO ROOM Data port jack LOCAL CALLS. LONG DISTANCE ... CREDIT CARD/ COLLECT. TOLL FREE CALLSDial 9 + Tol CHECK OUT TIME 11 AM Large customizable \mathbb{X} faceplate ank You For Staying With Us DEF 3 MUTE ABC 2 Mute button NXYZ 9 HOLD Patented volume OPER 0 (# boost button SPEAKER ۲ Speaker button 11' Handset cord Flash button SPECIFICATIONS COLOR: Cream or Black HANDSET CORD: 11' coiled WEIGHT: 3.5 pounds • LINE CORD: 15' straight CONNECTORS: RJ-45 PACKED: 10 per case 4″x 6″ FLASH TIMING: FACEPLATE AREA: 600 MS VOLUME BOOST: 27.5 dB LAB TESTING: ETL

Call one of our representatives today for a free evaluation sample

D800

Single Line Analog Deskset Telephone

The D800 is Inn-Phone®'s newest addition to its hospitality analog room telephone product line. The D800 is a single line analog room telephone with a contemporary design that compliments the latest trends in hotel room designs.



FEATURES

- Dual Tone, Deep Pitch IC Ringer
- FCC / ETL / UL / CE approved
- Full Range Volume Control (maximum amplification as allowed by law)
- 7' Handset Cord / 20' Line Cord (Fully Modular)
- Compatible With AC And DC Neon And Some LED Systems
- Extra Large Customizable Faceplate
- Extra Large Super Bright Ring/Message Waiting Indicator

Utilizing the field proven and industry respected audio electronics and Heavy Base design features of previous generation Inn-Phone products, the Heavy Base design helps minimize breakage as compared with lighter phones that can more easily be dragged from desks and nightstands resulting in breakage and more frequent replacement. The Heavy Base extends product life and helps control expense for room phones maintenance.

The name you know, The quality you trust...

The D800 offers the reliability and durability of all Inn-Phone room telephone offerings with a sleek modern design, easy to use dial pad and enhanced face plate layout area. Free customized face plates are provided with a minimum order. Face plates can typically be completed and shipped in less than 24 hours after design approval.

The D800 provides a reliable, sophisticated, upscale room telephone design at very affordable pricing. Contact Inn-Phone for a free sample or quote today!

- Flash Button
- Free Customized Inserts Available
- Hearing Aid Compatible
- High Luster, Euro Style, Rugged ABS cabinet with High Durability Components
- Outstanding audio amplification quality
- Wall Mountable
- Easy Access Dataport
- Extra Heavy, Non-Slip Base provides a solid look and feel

Call one of our representatives today for a free evaluation sample









- Patented Volume Plus Button designed with features for the hearing impaired aiding 70% of elderly guests with high-frequency hearing loss (the Boost Button increases volume range to 27.5db)
- SIP / IAX Compatible
- Built in CLEARING AID ® circuitry automatically adjusts frequency response for improved clarity. This is an aid to 70% of quests with high-frequency hearing loss.

The TL-IP from Inn-Phone is an industry first!! The TL-IP is the first SIP enabled product in a compact trim line design. The familiar packaging provides users with a simple to use device without the confusing and overwhelming number of options and functions that dominate most IP telephone designs

The TL-IP comes with Inn-Phone's unique Heavy Base electronics enclosure. The Heavy Base design helps minimize breakage as compared with lighter phones that can more easily be dragged from desks and workspaces resulting in breakage and more frequent replacement.

The TL-IP, like all Inn-Phone hotel products, comes with free customized face plates (minimum order applies) and face plates can typically be completed and shipped in less than 24 hours after design approval. The TL-IP meets hospitality room telephone standards and exceeds ADA requirements for volume boost.

Available in black or cream, the TL-IP can be used in desk top or wall mount applications. The TL-IP is the ideal choice for an economical IP solution that is easy to use and configure, yet provides Inn-Phone's trade mark reliability as a courtesy phone or service phone for hotel quests and staff.

Contact Inn-Phone or an Authorized Dealer today for a quote!

- 'Supersound' Chassis
- Clear Ear Sound
- Dual Tone, Deep Pitch IC Ringer
- Codecs Support: G.711, aLaw, G.711 uLaw, G.722, G.723, G.729, iLBC
- Free Faceplate Customization
- Lighted Keypad with Oversized Keys
- **POE** Compliant
- Ring "Norm-Hi" Switch
- Extra Long Fully Modular Cords
- Hearing Aid Compatible

Call one of our representatives today for a free evaluation sample

Notes

